


Štetner j.d.o.o. za usluge
Gsm.098 715 847,
darko.stetner@gmail.com




pointshop.hr

alati, pribor i oprema



Multistroke function

For completely countersinking the fastener if necessary.




Staple inspection window

Shows how many staples are left.



Adjustable front plate

Can be turned to switch from fine wire staples and nails to flat wire staples.



Long nozzle

Provides precision work results even at hard-to-reach places.




Diecast zinc housing

Particularly low-recoil diecast zinc housing.




Snap lock

The bottom-loading mechanism permits rapid troubleshooting.



Distance guide

Makes it possible to fit a parallel row of staples.




Integrated staple pusher

For easy refilling.




Automatic lock release

The patented safety lock release ensures opening and refilling only in the position intended for this purpose.




Impact power adjuster

For manual adjustment to the material.



Lock-down handle

The tacker handle can be locked down for storage or when not in use.



Belt hanger

For conveniently hanging the tacker on a belt.



The small DIY tackers for standard jobs.

Hand tackers are the ideal helpers in the home, for gardening or the creative DIY workshop.




Hobby J-01
easy fix



The basic hand tacker in ABS plastic for occasional use in the garden and around the home.

Features lock-down handle and rear-loading mechanism.

Art. no.: 030-0417 Weight: approx. 215 g EAN: 4009729024898



Hobby J-02
creativ power



The large DIY tacker made of ABS plastic material for home and garden use.

Features lock-down handle and rear-loading mechanism, this tacker can also fasten dowelling in a diameter of up to 6 mm.

Art. no.: 030-0416 Weight: approx. 325 g EAN: 4009729022788



The universal tacker for all sorts of jobs.

These lightweight hand tackers made of ABS plastic material are ideal for general-purpose use in the home and for DIY.



Universal J-08



The small hand tacker with high-quality ABS plastic housing for general-purpose use.

The slide mechanism at the front easily adjusts the tacker for using fine or flat wire staples. It also features bottom-loading mechanism with safety lock release, snap lock, lock-down handle, staple inspection window and belt hanger.

Art. no.: 030-0407 Weight: approx. 260 g EAN: 4009729020265

Also takes hammer tacker staples



Universal J-16



The large hand tacker with high-quality ABS plastic housing for general-purpose use.

Nozzle and multistroke function for precision fastening. Features bottom-loading mechanism with safety lock release, snap lock, impact adjustment, distance holder, lock-down handle, staple inspection window and belt hanger.

Art. no.: 030-0390 Weight: approx. 500 g EAN: 4009729015599



The sturdy professional tackers for all types of work.

These sturdy hand tackers are suitable for all kinds of jobs around the home as well as for DIY.



Profi **J-09** ★★★★★
metal

The small professional tacker with durable, particularly low-recoil, diecast zinc housing for a wide range of different jobs in the home, DIY and workshop.

The slide mechanism at the front easily adjusts the tacker for using fine or flat wire staples. It also features bottom-loading mechanism with safety lock release, snap lock, lock-down handle, staple inspection window and belt hanger.

Art. no.: 030-0408	Weight: approx. 610 g	EAN: 4009729020258	Also takes hammer tacker staples
-----------------------	--------------------------	-----------------------	--

The large professional tacker for standard jobs.

The professional hand tacker for a wide range of different work, such as panelling or upholstery.



Profi **J-19** ★★★★★
high performer

The powerful professional tacker with durable, particularly low-recoil, diecast zinc housing for a wide range of different jobs in the home, DIY and workshop.

Nozzle and multistroke function for precision fastening. Features bottom-loading mechanism with safety lock release, snap lock, impact adjustment, distance holder, lock-down handle, staple inspection window and belt hanger.

Art. no.: 030-0386	Weight: approx. 1000 g	EAN: 4009729014615	Also takes hammer tacker staples
-----------------------	---------------------------	-----------------------	--



Profi **J-17** ★★★★★☆
dual power

The durable hand tacker with high-quality, extremely lightweight hi-tech magnesium housing is ideal for general-purpose use in the home, DIY and workshop.

The slide mechanism at the front easily adjusts the tacker for using fine and flat wire staples. It also features bottom-loading mechanism with safety lock release, impact adjustment, lock-down handle and staple inspection window.

Art. no.: 030-0423	Weight: approx. 480 g	EAN: 4009729042755
-----------------------	--------------------------	-----------------------



► Panelling a wall

Straightforward panelling work with tongue-and-groove clips.




► Fastening sheeting

Hand tackers can also be used for fastening down sheeting, such as in this loft conversion.


Perfection is a matter of detail –
Practical benefits at a glance.




Automatic lock release
Patented safety lock release only permits opening and refilling in the position intended for this purpose.




Low overall height
Compact and easy to handle with a low overall height.



Trigger
Pressing the trigger fires a shot.



Integrated staple pusher
Staple pusher attached to the tool for easy refilling.




Extra-narrow nozzle
Permits precision attachment of tongue-and-groove boards directly in the groove cheek.




Snap lock
The snap lock permits rapid troubleshooting.




Panel clip guide
Panel clip guide for positioning tongue-and groove panelling clips.




Staple inspection window
The open staple channel shows how many staples are left in the magazine.




Electric impact power adjuster
Guarantees the right impact power for every job, no matter whether you're fastening into soft or hard wood.




Distance guide
The distance holder allows you to drive in a row of staples parallel to the edge.



Multistroke function
Using this function, a staple still standing proud can be driven in all the way.



Trigger release
Tacker is only ready for use after pushing back the trigger catch.



The basic electric tackers for standard applications.

Electric tacker for getting the job done quickly and easily around the home as well as for hobby and DIY use.




Universal J-102 dual power ★★★★★

The attractively priced electric tacker for the home, DIY and decoration.

The slide mechanism at the front easily adjusts the tacker for using fine or flat wire staples. It also features bottom-loading mechanism with safety lock release for refilling staples quickly and easily. Includes trigger catch and staple inspection window.

Art. no.: 031-0354 Weight: approx. 1000 g EAN: 4009729041802

Cable length: more than 2.5 m



Profi J-105 all-rounder ★★★★★


The small universal tacker for interior finishing work and decoration.

With bottom-loading mechanism and safety lock release for refilling quickly and easily. Features nozzle for precision handling, snap lock, impact power adjustment, distance holder, trigger catch and staple inspection window.

Art. no.: 031-0333 Weight: approx. 1160 g EAN: 4009729016411

Cable length: more than 3 m

Also takes hammer tacker staples



The professional tackers for effortless fastening.

Both tools come with features that underscore the convenience and outstanding quality of the Novus J-165: user-friendly, ergonomic styling, low overall height, recoilless operation, impact power adjuster and snap lock.




Profi J-165 extra power ★★★★★

The extremely low-recoil, universal tacker for professional upholstery, insulation work and panelling with tongue-and-groove clips.

With long nozzle for precision fastening at hard-to-reach places. Features rear-loading mechanism with integrated staple pusher, snap lock, multistroke function, impact power adjustment and staple inspection window.

Art. no.: 031-0326 Weight: approx. 1750 g EAN: 4009729014547

Cable length: over 3.5 m




Profi J-165 profi power ★★★★★

The extremely low-recoil, universal tacker for professional upholstery, insulation work and panelling with tongue-and-groove clips.

With long nozzle for precision handling. Features rear-loading mechanism with integrated staple pusher, snap lock, multistroke function, impact power adjustment and staple inspection window.

Art. no.: 031-0324 Weight: approx. 1640 g EAN: 4009729011799

Cable length: over 3.5 m



The universal electric tackers for professional use.

These universal electric tackers come with technical features to make them ideal for professional fastening in home, hobby and DIY use.




Profi J-155 ★★★★★
all-rounder

The universal electric tacker for many different jobs in the home, garden, in DIY and the workshop.

With nozzle for precision handling. Features multistroke function, limit stop, impact power adjustment, convenient shear-off system for cutting leg length to size, and blank firing guard.

Carton Art. No.: 031-0298 Weight: approx. 1770 g Carton EAN: 4009729004166

Cable length: more than 3.5 m



Panel J-171 ★★★★★
extra power

The professional electric tacker takes narrow crown staples and nails up to 30 mm, making it particularly suitable for panelling work with and without standard tongue-and-groove clips.

With long nozzle for precision fastening at hard-to-reach places. Features rear-loading mechanism, snap lock, multistroke function, impact power adjustment and staple inspection window.

Art. no.: 031-0061 Weight: approx. 1950 g EAN: 4009729001776

Cable length: more than 3.5 m



The cordless tacker for complete flexibility.

The universal J-214 cordless tacker from Novus is ready for use anywhere – also when there's no power socket. It is perfect for decorating, home and hobby use.



Universal J-214 ★★★★★
Lithium-ion

The handy cordless tacker with practical lithium-ion rechargeable battery, without memory effect and self-discharge. The ideal tacker for decorative, household and hobby fastening applications without access to a power socket.

With blank-firing guard for added safety, practical LED light for illuminating the fastening point, bottom-loading mechanism, impact power adjustment and staple inspection window. Supplied in a carrying case.

Art. no.: 031-0356 Weight: approx. 962 g EAN: 4009729053683



► Removable 3.6V lithium-ion rechargeable battery



► Perfectly illuminated work area

For the right light wherever you are fastening.

Sound muffler



Non-recoiling



Magazine safety catch



Top-loader with integrated staple pusher



Extra-narrow nozzle



Blank firing guard



Light alloy housing



Universal



Staple inspection window



For exceptionally low noise levels.

Essential to user comfort.

Prevents the magazine from being opened unintentionally.

With integrated staple pusher for fast and easy refilling.

For fastening at hard-to-reach places.

The tool can only be fired when held against a surface.

Guaranteed long life and low weight.

Supplied with trigger guard with clip guide.

Shows how many fasteners are left in the magazine.



The professional tackers designed specifically for textiles or complicated panelling work.

Compressed-air tackers are mainly recommended for the ambitious tradesperson or professional use.



Profi J-316 air power ★★★★★

The airtacker with light-alloy housing for professional upholstery and decorating work.

With long nozzle for precision fastening at hard-to-reach places, sound muffler, trigger catch, bottom-loading system with integrated staple pusher. Supplied in a practical carrying case.

Art. no.: 032-0033	Weight: approx. 920 g	EAN: 4009729022375	Working pressure: 7 bar
Air consumption: approx. 0.66 l/shot at 6 bar	Max. operating pressure: 4-7 bar		



Profi J-328 air power ★★★★★

The professional airtacker with light-alloy housing is ideal for panelling work.

With long nozzle for precision handling, sound muffler, blank-firing guard, top-loading system and integrated staple pusher. Supplied in a practical carrying case.

Art. no.: 032-0034	Weight: approx. 1200 g	EAN: 4009729022382	Working pressure: 4-7 bar
Air consumption: approx. 0.74 l/shot at 6 bar	Max. operating pressure: 8 bar		



The right staple for every job.


► Fine wire staple

Ideal for fastening:

- Fabrics/textiles
- Thin metal labels
- Wire netting
- Thin wooden strips



NOVUS Type 53




Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
2000 pcs.	53/4	042-0354	4009729002001
	53/6	042-0355	4009729002018
	53/8	042-0413	4009729003213
	53/8 super hard	042-0356	4009729002025
	53/10 V2A		
1000 pcs.	53/6	042-0740	4009729041369
	53/8	042-0741	4009729041376
	53/10 super hard	042-0357	4009729002032
	53/10 V2A stainless steel	042-0458	4009729003305
	53/12 super hard	042-0358	4009729002049
	53/14 super hard	042-0359	4009729002056
	53/18 super hard	042-0360	4009729002063

Economy carton packaging

Quantity:	Designation:	Art. no.:	EAN:
5000 pcs.	53/6 super hard	042-0516	4009729006450
	53/8 super hard	042-0517	4009729006467
	53/10 super hard	042-0518	4009729006474
	53/14 super hard	042-0520	4009729006498

NOVUS Type 37



Fine wire staple specifically for hammer tackers

Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
2000 pcs.	37/4 super hard	042-0368	4009729002148
	37/6 super hard	042-0369	4009729002155
	37/8 super hard	042-0370	4009729002162
1000 pcs.	37/10 super hard	042-0371	4009729002179
	37/12 super hard	042-0372	4009729002186
	37/14 super hard	042-0373	4009729002193

Economy carton packaging

Quantity:	Designation:	Art. no.:	EAN:
5000 pcs.	37/6 super hard	042-0535	4009729007303
	37/8 super hard	042-0536	4009729007310
	37/10 super hard	042-0603	4009729008966


► Round staple

Ideal for fastening:

- Wooden dowelling in a diameter up to 6 mm
- Wires
- Wire netting



NOVUS Type L



Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
840 pcs.	L/14 (divergent point)	042-0727	4009729029831


► Flat wire staple

Ideal for fastening:

- Sheeting/labels
- Aluminium-laminated products
- Paper and card
- Waxed and oiled papers



NOVUS Type 53 F



Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
1200 pcs.	53 F/6	042-0374	4009729002209
	53 F/8	042-0375	4009729002216
600 pcs.	53 F/10	042-0376	4009729002223
	53 F/12	042-0377	4009729002230
	53 F/14	042-0378	4009729002247



Transparent packaging panel clip

Quantity:	Designation:	Art. no.:	EAN:
1200 pcs.	53 F/14D (divergent point)	042-0654	4009729016374
	53 F/18D (divergent point)	042-0650	4009729015636

Panel clip with divergent point

The 14 and 18 mm panel clips with divergent point (staple tips with sawtooth cut) prevent parallel staple leg penetration, increasing extraction resistance.



This makes these staples ideal for fixing tongue-and-groove panelling clips to walls and ceilings.

NOVUS Type 11



Transparent packaging


Quantity:	Designation:	Art. no.:	EAN:
1200 pcs.	11/6	042-0384	4009729002308
	11/8	042-0385	4009729002315
600 pcs.	11/10	042-0386	4009729002322
	11/12	042-0387	4009729002339
	11/14	042-0388	4009729002346

Flat wire staple specifically for hammer tackers

Economy carton packaging

Quantity:	Designation:	Art. no.:	EAN:
5000 pcs.	11/6	042-0527	4009729006566
	11/8	042-0528	4009729006573
	11/10	042-0529	4009729006580

NOVUS Type 50



Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
960 pcs.	50/6	042-0465	4009729003602
	50/8	042-0466	4009729003619
	50/10	042-0467	4009729003626
	50/12	042-0468	4009729003633
	50/14	042-0469	4009729003640
	50/14 D	042-0470	4009729003831
	(divergent point) panel clip: see above		


► Narrow crown staple

Ideal for fastening:

- Tongue-and groove boards
- Panelling
- Fibreboard
- Wire netting



NOVUS Type 4





Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
1100 pcs.	4/12	042-0389	4009729002353
	4/15	042-0390	4009729002360
	4/18	042-0391	4009729002377
	4/18 V2A stainless steel	042-0459	4009729003312
	4/23	042-0392	4009729002384
	4/26	042-0393	4009729002391
	4/26 V2A stainless steel	042-0460	4009729003329
	4/30	042-0461	4009729003336

Economy carton packaging

Quantity:	Designation:	Art. no.:	EAN:
2000 pcs.	4/18	042-0594	4009729008997
	4/23	042-0595	4009729009000
	4/26	042-0742	4009729041505
	4/28	042-0724	4009729030998

Fastening panels:




► Nail

Ideal for fastening:

- Decorative profiles
- Corner mouldings



NOVUS Type J



Transparent packaging

Quantity:	Designation:	Art. no.:	EAN:
1000 pcs.	J/14	044-0073	4009729006726
	J/16	044-0063	4009729002414
	J/19	044-0064	4009729002421
	J/25	044-0065	4009729002438
	J/30	044-0066	4009729002445
2600 pcs.	J/16	044-0084	4009729023297
	J/19	044-0085	4009729023303
	J/25	044-0086	4009729023310
	J/30	044-0087	4009729023327

Staple and nail remover

The NOVUS J-065 is the ideal tool for easily removing any type of staple. Its ergonomically designed handle and low weight take all the effort out of working with the J-065, making it particularly easy to use.



Universal J-065




The practical staple remover for easy removal of all types of staples.


Particularly practical with its ergonomic and protective handle.

Art. no.:	Weight:	EAN:
033-0001	approx. 115 g	4009729001998

Perfection is a matter of detail – the blind riveting tools for permanent joints.



Mounts




The tool comes complete with four exchangeable mounts that take blind rivets in diameters of 2.4 as well as 3 mm, 4 mm and 5 mm.

Return spring



The integrated return spring makes the blind riveting tool suitable for one-handed use.

Housing




The riveting tool is robust and durable.


Assembly spanner




The assembly spanner that's provided with the tool can be used for changing the different mounts quickly and easily whenever you need to.




Takes blind rivet.



Lock-down handle



Pivoting head



The blind riveting tool's ergonomically shaped handle can be locked together when not in use or for storage.

Turning through 360°, the pivoting head even makes easy work of getting to poorly accessible places.

The lightweight blind riveting tool.

The lightweight blind riveting tool for DIY work uses aluminium blind rivets in a diameter of up to 5 mm.



Hobby J-50 ★★★★★

The lightweight blind riveting tool for occasional work.

Tool body in aluminium, lever in sheet steel with four mounts and integrated assembly spanner, handle catch and return spring for 1-hand operation.

Art. no.: 032-0023 Weight: approx. 465 g EAN: 4009729016268





A2,4 A3 A4 A5



Hobby J-50 Set ★★★★★

The J-50 A blind riveting tool is also available in a practical case that includes 15 each A 2.4, A3, A4 and A5 aluminium blind rivets.

Art. no.: 032-0037 Weight: approx. 1109 g EAN: 4009729039045



A2,4 A3 A4 A5

The universal blind riveting tools for fastening aluminium, steel and copper.

These universal blind riveting tools are suitable for fitting aluminium, steel and copper blind rivets in a diameter of up to 5 mm.



Universal J-53 ★★★★★

The standard blind riveting tool for general-purpose DIY jobs.

Aluminium tool body and forged steel lever. Features four mounts, including assembly spanner, handle catch and return spring for 1-hand operation.

Art. no.:
032-0024

Weight:
approx. 485 g

EAN:
4009729016251

A2,4 A3 A4 A5

S4 S3 C4

The blind riveting tool with the 360° pivoting head.

The blind riveting tool with the 360° pivoting head is ideal for reaching poorly accessible places, particularly on vehicle bodies.



Profi J-60 ★★★★★

The professional blind riveting tool with pivoting head for general-purpose work with precision results in DIY and workshop.

Aluminium tool body and sheet-steel lever. Features four mounts, including assembly spanner, handle catch and return spring for 1-hand operation.

Art. no.:
032-0026

Weight:
approx. 620 g

EAN:
4009729016237

A2,4 A3 A4 A5

S4 S3 C4



Profi J-55 ★★★★★

The robust and universal blind riveting tool for DIY and workshop use.

Aluminium tool body and forged steel lever. Features four mounts, including assembly spanner, handle catch and return spring for 1-hand operation.

Art. no.:
032-0025

Weight:
approx. 520 g

EAN:
4009729016244

A2,4 A3 A4 A5


S4 S3 C4




► Suitable for all sorts of applications

The pivoting head can be moved to any position, providing the best possible access while riveting with optimum power transfer.


Perfection is a matter of detail – the rivet nut setting tool for screw-fastened joints you can rely on.




Mounts



The tool comes complete with three exchangeable mounts that take rivet nuts in diameters of as well as 6, 7 und 9 mm.




Travel limiter



Travel can be limited at a setting screw. This avoids damaging the thread and makes it easier to fit the rivet nut all the way in for a secure hold.

Threaded mandrels




The tool is supplied with three threaded mandrels for different rivet nuts.

Assembly spanner



The assembly spanner that's provided with the tool can be used for changing the different mounts quickly and easily whenever you need to.



Housing

Lock-down handle

Takes rivet nut.

The rivet nut setting tool.

The rivet nut setting tool has the added benefit of being able to fit a rivet nut with an internal thread for screw-mounting a further item.






Profi J-65 ★★★★★

The universal rivet nut setting tool for screw mounting in DIY applications and the workshop.

Aluminium tool body and forged steel lever. Features three mounts and threaded mandrels, assembly spanner, setting screw for limiting travel and handle catch.

Art. no.: 032-0027 Weight: approx. 580 g EAN: 4009729016220



A6

M4

A7

M5

A9

M6

S6

M4

S7

M5

S9

M6

58

59

Simply make your choice –
all Novus EAN codes at a glance.

Tackers				Riveting tools	
Hand tackers		Electric tackers		Blind riveting tools	
	J-01 4 009729 024898 Art. no.: 030-0417		J-102 4 009729 041802 Art. no.: 031-0354		J-50 4 009729 016268 Art. no.: 032-0023
	J-02 4 009729 022788 Art. no.: 030-0416		J-105 4 009729 016411 Art. no.: 031-0333		J-50 Set 4 009729 039045 Art. no.: 032-0037
	J-08 4 009729 020265 Art. no.: 030-0407		J-165 4 009729 014547 Art. no.: 031-0326		J-53 4 009729 016251 Art. no.: 032-0024
	J-16 4 009729 015599 Art. no.: 030-0390		J-165 Panel 4 009729 011799 Art. no.: 031-0324		J-55 4 009729 016244 Art. no.: 032-0025
	J-09 4 009729 020258 Art. no.: 030-0408		J-155 4 009729 004166 Art. no.: 031-0298		J-60 4 009729 016237 Art. no.: 032-0026
	J-17 4 009729 042755 Art. no.: 030-0423		J-171 4 009729 001776 Art. no.: 031-0061	Rivet nut setting tools	
	J-19 4 009729 014615 Art. no.: 030-0386		J-214 4 009729 053683 Art. no.: 031-0356		
 pointshop.hr alati, pribor i oprema					J-65 4 009729 016220 Art. no.: 032-0027